

ColorWash 250 AT



ColorWash 250 AT



Think in Colours
Think in Colours

Think in Colours
Think in Colours

Think in Colours

Think in Colours

Think in Colours

Think in Colours

Think in Colours



This eagerly awaited fixture completes Robe's AT line of moving heads. A completely new optical system makes this fixture 50% brighter than its predecessor, the Wash 250XT. New ultra smooth CMY colour mixing offers a fantastic spectrum of hues. A motorized zoom effect ranges from 8° - 32° and the extremely silent cooling system and movement make this fixture a superb choice for TV and theatre. The colour wheel offers 6 saturated colours + open, using Robe's renowned SLOT&LOCK system. Frost filter and a beam shaper are available on the effect wheel. As with all other Robe AT moving heads, 16-bit resolution is available for movement, colour wheel positioning and dimming.

Source

- ❏ Lamp: Compact high-pressure metal halide lamp
- ❏ Base: GY-9.5
- ❏ Approved model: Philips MSD 250W/2
- ❏ Control: Automatic and remote on/off
- ❏ Ballast: Magnetic

Electrical Specification




- ❏ Wiring options - EU model: 208/230/240V AC, 50/60Hz
- ❏ Wiring options - US model: 100/120/208/230/240V AC, 50/60Hz
- ❏ Power consumption: 405 VA at 230V

Mechanical Specification

- ❏ Height: 513 mm (20.2")
- ❏ Width: 419 mm (16.5")
- ❏ Depth: 438 mm (17.2")
- ❏ Weight - EU model: 20.5 kg (45.2 lbs), US model: 23.5 kg (51.8 lbs)

Thermal

- ❏ Maximum ambient temperature: 45°C (113°F)
- ❏ Maximum surface temperature: 70°C (158°F)



DISCONNECT SUPPLY BEFORE SERVICING

WAARSCHUWING

Never look directly into the beam of a laser or laser-like light source, especially in the near field.

Not for domestic use. High power.

Keep away from heat and flammable materials.

A good ground connection is essential.

Maximum room temperature: 40°C.

Exterior surface temperature: 50°C.

Min. distance from flammable materials: 1m.



w w w . r o b e . c z

HQ & Factory: ROBE Show Lighting s.r.o. ■ Házovice 2090 ■ 756 61 Rožnov p. Radhoštěm ■ Czech Republic ■ Tel.: +420-571-625 792 ■ Fax: +420-571-626 337 ■ E-mail: robe@robe.cz
America: ROBE America ■ Florida, FL, USA ■ Tel.: (954) 615-9100 ■ E-mail: info@robeamerica.com ■ **Italy:** ROBE Italia srl ■ Medole, Italy ■ Tel.: (0376) 898316 ■ E-mail: info@robeitalia.it
UK: ROBE UK Ltd. ■ Northampton, UK ■ Tel.: 01604 741000 ■ E-mail: info@robeuk.com ■ **South-East Asia:** ROBE S.E.A. ■ Singapore ■ Tel.: +65-8118 6665 ■ E-mail: info@robe-sea.com

June © 2005 Robe Show Lighting s.r.o. All specifications subject to change without notice. Patents pending.